# RECEIVED CENTRAL FAX CENTER

MAR 2 0 2006

To:

**Technology Center 2100** 

Total Pages Sent: 7

Facsimile Number: 571-273-8300

From:

Carlton H. Hoel

Texas Instruments Incorporated

Facsimile: 972-917-4418 Phone: 972-917-4365

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Jason M. Brewer

Serial No:

09/494,218

Filed:

1/28/2000

Art Unit: Examiner:

2142 D. Blair

Docket No.:

T1-28385

Conf. No.:

3161

Customer No.:

23494

#### CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that the following papers are being transmitted by facsimile to the U.S. Patent and Trademark Office at **571-273-8300** on the date shown below:

Stolla Do

Date

**FACSIMILE COVER SHEET** 

X FACSIMILE COVER SHEET (1 SHEET)  NEW APPLICATION  DECLARATION  ASSIGNMENT  FORMAL DRAWINGS  INFORMAL DRAWINGS  CONTINUATION APP'N  DIVISIONAL APP'N		AMENDMENT EOT NOTICE OF APPEAL X APPEAL (6 Pages) ISSUE FEE REPLY BRIEF (IN TRIPLICATE)
NAME OF INVENTOR(S):		RECEIPT DATE & SERIAL NO.:
Jason M. Brewer		Serial No.: 09/494,218 Filing Date: 1/28/2000 Conf. No.: 3161
TITLE OF INVENTION:		
System and Method for Loading Resolved JAVA Class Files to a Client Device		
TI FILE NO.:	DEPOSIT ACCT. NO.:	1
TI-28385	20-0668	
FAXED: 03/20/2006 DUE: 03/18/2006 ATTY/SECY: CHH/gs		

This facsimile is intended only for the use of the address named and contains legally privileged and/or confidential information. If you are not the Intended recipient of this telecopy, you are hereby notified that any dissemination, distribution, copying or use of this communication is strictly prohibited. Applicable privileges are not waived by virtue of the document having been transmitted by Facsimile. Any misdirected facsimiles should be returned to the sender by mail at the address indicated on this cover sheet.

Texas Instruments Incorporated PO Box 655474, M/S 3999 Dallas, TX 75265

## RECEIVED CENTRAL FAX CENTER

## MAR 2 0 2006

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Appl.No.:

09/494,218

Confirmation No.: 3161

Appellant:

**Brewer** 

Filed:

January 28, 2000

TC/A.U.

2142

Examiner:

Blair

Docket No.: TI-28385

Cust.No.:

23494

#### APPELLANT'S BRIEF

Commissioner for Patents P.O.Box 1450 Alexandria VA 22313-1450

Sir:

The attached sheets contain the Rule 41.37 items of appellant's brief. The fee for filing a brief in support of the appeal was previously paid 10/06/2003. The Commissioner is hereby authorized to charge any other necessary fees to the deposit account of Texas Instruments Incorporated, account No. 20-0668.

Respectfully submitted,

Carlton H. Hoel

Reg. No. 29,934

Texas Instruments Incorporated PO Box 655474, M/S 3999

Dallas, Texas 75265

972.917.4365

# Rule 41,37(c)(1)(i) Real party of interest

Texas Instruments Incorporated owns the application.

# Rule 41.37(c)(1)(ii) Related appeals and interferences

There are no related dispositive appeals or interferences.

## Rule 41.37(c)(1)(iii) Status of claims

Claims 1-9 are pending in the application with all claims finally rejected. This appeal involves the finally rejected claims.

# Rule 41.37(c)(1)(iv) Status of amendments

There is no amendment after final rejection.

# Rule 41.37(c)(1)(v) Summary of the claimed subject matter

The invention provides a method and apparatus for transferring Java files from a server to a client by use of an intermediate gateway which determines portions of the Java files already transferred to the client so that only updates need by transferred. Application Fig.3 illustrates the apparatus and also notes that the transmission from the gateway to the client may be by a wireless link; so limiting the amount of information transferred is an advantage. Application Fig.4 is a flowchart.

#### Rule 41.37(c)(1)(vi) Grounds of rejection to be reviewed on appeal

The grounds of rejection to be reviewed on appeal are:

- (1) Claim 5 was rejected as anticipated by the Brown reference.
- (2) Claims 1-3 and 6-7 were rejected as unpatentable over the Brown reference in view of the Mishra reference.
- (3) Claims 4 and 9 were rejected as unpatentable over the Brown reference in view of the Mishra and Arnold references.
- (4) Claim 8 was rejected as unpatentable over the Brown reference in view of the Arnold reference.

## Rule 41.37(c)(1)(vii) Argument

(1) Claim 5 was rejected as anticipated by Brown. The Examiner cited column 7, lines 25-44 for the claimed gateway.

Appellant replies that Brown column 7, lines 25-44 describes creation of FCCFs (fully caffeinated class files) in a server which are delivered directly to a client as illustrated in Brown Fig.1; there is no suggestion of a gateway between the server and the clients as required by claim 5. The Examiner's assertion that the gateway could be a compiler in the server ignores the claim language.

(2) Claims 1-3 and 6-7 were rejected as unpatentable over Brown in view of Mishra. The Examiner added Mishra to show sending only new portions of a file.

Appellant repeats the foregoing argument (1) regarding the gateway not appearing in or suggested by Brown.

(3) Claims 4 and 9 were rejected as unpatentable over Brown in view of Mishra and Arnold. The Examiner added Arnold to show Java classes sent over a wireless network.

Appellant again repeats the foregoing argument (1) regarding the gateway not appearing in or suggested by Brown.

(4) Claim 8 was rejected as unpatentable over Brown in view of Arnold.

Appellant further repeats the foregoing argument (1) regarding the gateway not appearing in or suggested by Brown.

Consequently, the claims are patentable over the references.

## Rule 41.37(c)(1)(viii) Appendix

1. A method for loading class files from a server to a client comprising:

loading an application class onto a gateway server that preloads and preresolves said class;

creating a binary representation of new portions of the preloaded and preresolved class at said gateway; and sending only the new portion to the client.

- 2. A method for loading Java class files from a server to a client device comprising the steps of:
  - a. gateway retrieving a Java class file;
- b. gateway preloading and preresolving said Java class file and creating a representation of the Java class file;
- c. determining at the gateway new portions of said representation of the Java class file not loaded in said client device;
- d. creating at the gateway a binary representation of only the new portion of said representation of the Java class file;
- e. sending said binary representation of said new portion to the client device:
- f. loading said binary representation of said new portion into said client device; and,
- g. copying said binary representation into the internal class structures in the interpreter of Java virtual machine of the client device.
- 3. The method of Claim 2, wherein step b includes creating a c-code representation of the Java class file and step c includes determining the new portions of said c-code representation, and step d creates a binary representation of only the new portion of said c-code representation.

- 4. The method of Claim 2, wherein said sending step e includes sending over a wireless network.
- 5. A system for loading Java class files from a server to a client device comprising:
- a. a gateway coupled to said server and responsive to a Java class file for creating a c-code representation of said class file;
- b. said gateway creating a binary representation of said c-code representation;
- c. a network coupled between said gateway and said client device for sending the binary representation to said client device;
  - d. a loader for loading said binary representation at said client device; and
- e. means for copying said binary representation into the internal class structure in an interpreter of said client device.
- 6. The system of Claim 5, wherein said gateway includes means for determining new portions of the said c-code representation, and in step b said gateway creates binary representations of only new portions of said c-code representations, and in step c said network sending only said new portions to said client device.
- 7. A method for loading Java class files to an embedded client device from a server comprising the steps of:
  - a. gateway retrieving a Java class file;
- b. gateway preloading and preresolving the Java class file to produce a representation of the Java class file;
  - c. determining at the gateway a new portion of the representation;
- d. creating at the gateway a binary representation of only said new portion of the preloaded and preresolved representation of the Java class file;
  - e. sending said binary representation to the embedded client device;
  - f. loading said binary representation into said embedded client device; and

- g. copying said binary representation into the internal class structures in the interpreter of a Java virtual machine of the embedded client device.
- 8. A system for loading Java class files from a server to an embedded client device comprising:
- a. a preloader and preresolver in a gateway coupled to said server and responsive to a Java class file for preloading and preresolving a representation of said class file:
- b. said gateway creating a binary representation of said preloaded and preresolved representation of said class file;
- c. a wireless network coupled between said gateway and said embedded client device for sending the binary representation to said embedded device;
- d. a loader for loading said binary representation at said embedded client device; and,
- e. means for copying said binary representation into the internal class structure in an interpreter of said embedded client device.
- 9. The system of Claim 8, wherein said gateway includes means for determining new portions of said preloaded and preresolved representations of the class and sending only said new portions to said embedded client device.

Rule 41.37(c)(1)(ix) Evidence appendix

n/a

Rule 41.37(c)(1)(x) Related proceedings appendix

n/a